MODULAR RECYCLING UNITS

DESCRIPTION

REFERENCE

Nº UNITS DIMENSIONS (mm) (H x W x L)

WEIGHT (KG) MATERIAL

INNER BIN CAPACITY (L) THICKNESS (mm) COLOUR

- Made of galvanised steel painted with polyester paint in grey (AL707050) Steel Stainless (AL707051).
- Inner bins and tops made of polypropylene of different colours, depending on its use
- Inner bin has a capacity of 40 L, with kev lock.
- 4 adjustable supports per unit.
- Units can be combined at your choice (number and colour). Fixed by means of plugs and screws.
- Sturdy, resistant and long lasting life.

AL707050V



a/ AL707050 b/ AL707051

Unit for recycling station 640x252x373 a/9,21 - b/7,60a/ Steel b/ Stainless Steel Polypropylene a/1 - b/0.8

At your choice

a/ AL707050 b/ AL707051

Unit for recycling station 640x504x373 a/18,42 - b/15,20 a/Steel b/ Stainless Steel Polypropylene a/1 - b/0.8At your choice

AL707050AVGZ



a/ AL707050 b/ AL707051

Unit for recycling station 640x756x373 a/27,63 - b/22,80 a/Steel b/ Stainless Steel Polypropylene a/1 - b/0.8At your choice

a/ AL707050 b/ AL707051

Unit for recycling station 640x1.008x373 a/36,84 - b/30,40 a/Steel b/ Stainless Steel Polypropylene a/1 - b/0.8At your choice



REFERENCE

DESCRIPTION Nº OF UNITS DIMENSIONS (mm) (H x W x L) WEIGHT (KG) MATERIAL CAPACITY (L) THICKNESS (mm) **COLOUR or FINISH**

RM1004GZ

RM1004

Deposit Colour 1 Deposit 607x337x226 Polypropylene 40 4 At your choice RM1004AGVZ



RM1004

Colour deposits 2 Deposits 607x337x452 Polypropylene 80 4 At your choice



RM1006

Clamp to join deposits 100x48x38 0,085 Stainless steel 0,8 Metallic

Refs. AL707050/707051 followed by letters indicating colour:

A = Yellow; G = Grey; V = Green; Z = Blue; T = Transparent; B = White.

Example: AL707050A: 1 unit.; AL707050AG: 2 units AL707050AGV: 3 units.; etc. Example: AL707051V: 1 unit.; AL707051GB: 2 units AL707051ZBT: 3 units; etc.

LOW-COST: Also possible to use only the deposits (RM1004) and join them together by means of a clamp made of stainless steel (RM1006), without the metallic structure. Colour codes are the same as in References AL. Example: RM1004V: 1 unit.; RM1004AZ: 2 units; RM1004AZV: 3 units; etc.

JOFEL INDUSTRIAL, S.A.

ESPAÑA **H.OFFICE AND FACTORY** Ctra. Madrid, Km 4 C/ La Rioja, n.º 3 03006 ALICANTE (ESPAÑA) Tel.: +(34) 965 10 45 33 Fax: +(34) 965 10 95 04

Email: pedidos@jofel.com acliente@jofel.com +(34) 965 10 45 88 (Export) jofel@jofel.com (Export) PORTUGAL

Tel.: +(34) 965 10 85 42 +(35) 19 65 45 33 92 Email: jlopes@jofel.com pedidos@jofel.com acliente@jofel.com

19, Avenue de la Sablière Zone d'activité de la Sablière 94370 SUCY en BRIE (Paris) **FRANCE**

Tél.: +(33) 01 56 74 11 62 Fax: +(33) 01 49 82 72 58 Email: jofel@jofel.fr



Systems and Equipments for Hygiene and Professional Cleaning

























NEW!

NEW









SMART RANGE, BLACK AND WHITE

- ABS bright finish, white or black, high quality and resistance.
- · Complete range, easy to clean and maintain.
- Security key lock.
- Innovative and modern design, suitable for any space.
- Low Cost range due to its special concept and design.



AC96000

Bulk fill soap Dispenser

265x100x90 0.330 ABS/White 1.000 L



AC96500

Cartridge soap dispenser

265x100x90 0.330 ABS/White 0.800 L



AE57000

Medium size jumbo toilet tissue dispenser 280x275x120

0.460 ABS/white 220 mm Ø roll



REF. **AE57600**

DESCRIP.

CAPACITY

Medium size jumbo toilet tissue dispenser

220 mm Ø roll

DIMENS. 280x275x120 WEIGHT(Kg) 0.460 MAT/COL., FINISH ABS/Black



REFERENCE

DESCRIPTION

WEIGHT(KG)

CAPACITY

DIMENSIONS (mm) (H-L-W)

MATERIAL/COLOUR, FINISH

AE67000

Horizontal centre pull toilet paper dispenser One service at a time

232x225x230 0.660

ABS/White Coreless 210 mm Ø roll



AE67400

Horizontal centre pull toilet paper dispenser One service at a time

232x225x230

0.660

ABS & SAN/Smoke Coreless 210 mm Ø roll



AE67600

Horizontal centre pull toilet paper dispenser One service at a time

232x225x230 0.660

ABS/Black Coreless 210 mm Ø roll



AG47000

Centrefeed towel dispenser

334x230x230 0.755

ABS/white 200 mm Ø rolls



REF. AG47050

DESCRIP. Centrefeed towel dispenser One service at a time

334x230x230

DIMENS. WEIGHT(Kg) 0.755 MAT/COL., FINISH ABS/white CAPACITY Ø200 mm roll



AG47600

Centrefeed towel dispenser

334x230x230 0.755 ABS/Black 200 mm Ø roll



AG47650

Centrefeed towel dispenser One service at a time

334x230x230 0,755 ABS/Black 200 mm Ø roll



AH37000

Z-fold towels dispenser

365x275x130 0.885 ABS/white 600 Z-fold towels



AH37600

Z-folded towels dispenser

365x275x130 0.885 ABS/Black 600 Z-fold towels

BLACK RANGE

- ABS bright finish, black, high quality and resistance.
- · Great durability.
- Easy to install and maintain.
- Modern and innovative design.
- · Security key lock.
- Homogenous and complete range.

REFERENCE DESCRIPTION

WEIGHT (KG)

CAPACITY

Suits perfectly any type of space.

REFERENCE

DESCRIPTION

DIMENSIONS (mm) (H x W x L) WEIGHT (KG) MATERIAL/COLOUR or FINISH CAPACITY



AC70600

Aitana soap Dispenser Chrome push button 235x130x100 0,410

235x130x100 0,410 ABS & SAN/Black 0,900 L



AE57600

Medium size jumbo toilet tissue dispenser -Smart 280x275x120 0,460 ABS/Black 220 mm Ø roll



AE67600

Horizontal centre pull toilet paper dispenser Smart One service at a time 232x225x230 0,660 ABS/Black Coreless 210 mm Ø roll



AG47600

Centrefeed towel dispenser Smart 334x230x230 0,755 ABS/Black 200 mm Ø roll



AG47650

Centrefeed towel dipenser, one service at a time Smart 334x230x230 0,755 ABS/Black 200 mm Ø roll



AG56600

Autocut towel dispenser Smart 360x285x235 2,030 ABS/Black 210 mm Ø roll



AH37600

Z-fold towel dispenser Smart 365x275x130 0,885 ABS/black 600 Z-fold towels

ANTIBACTERIAL RANGE

DIMENSIONS (mm) (H x W x L)

MATERIAL/COLOUR or FINISH

REFERENCE

DESCRIPTION

DIMENSIONS (mm) (H x W x L) WEIGHT (KG) MATERIAL/COLOUR or FINISH CAPACITY



AC70700

Soap Dispenser Aitana 235x130x100 0,410 ABS Antibac & SAN/White 0,900 L



AE51700

Medium size jumbo toilet tissue dispenser- Azur 405x305x260 2,890 ABS Antibac/white 220 mm Ø roll



AG40700

Centrefeed towel dispenser Azur 340x230x234 1,235 ABS Antibac/White 205 m Ø roll



AH33700

Z-fold towels dispenser Azur 365x275x130 0,885 ABS Antibac/white 600 Z-fold towels

- ABS bright finish, white, high quality and resistance.
- Plastic injected with certified antibacterial additives.
- Protection against bacteria, fungus and mould.
- Based on ionic silver technology.

- Complete range marked with special logo.
- Great durability preserving all the properties.
- Security key lock.
- Easy to clean and maintain.

MULTIFUNCTIONAL BINS

- Stainless steel or Electro zinc coated steel, painted with high quality polyester, highly resistant.
- Stainless steel 0,8 mm. thick, electro zinc coated steel 1 mm thick.
- Bag holder system inside, easy removal.
- Sturdy, resistant, long lasting life.
- Minimalist design, versatile, multiple uses.
- Capacity: 40 litre.
- Options: All versions are available in stainless or electro zinc coated steel.

REFERENCE

DESCRIPTION

DIMENSIONS (mm) (AI x An x Lg) WEIGHT (KG) MATERIAL/COLOUR or FINISH

CAPACITY (L)
THICKNESS (mm)

REFERENCE

DESCRIPTION

DIMENSIONS (mm) (AI x An x Lg)
WEIGHT (KG)
MATERIAL/COLOUR
or FINISH
CAPACITY (L)
THICKNESS (mm)



AL709100

Bin opening at the front.
Top ashtray made of aluminium slats
700x236x236
5,235
Electro zinc coated steel / high quality polyester paint

several colours in high quality polyester paint
40



0,8

Bin opening at the front.
Top ashtray made of
aluminium slats
700x236x236
4,955
Stainless Steel AISI 304 /
Satin finish
40



AL709200

Bin opening at the front.
Sand ashtray at top
700x236x236
5,235
Electro zinc coated steel /
Several colours in high
quality polyester paint
40



AL709201

40

0.8

Bin opening at the front Sand ashtray at the top 700x236x236 4,955 Stainless Steel AISI 304 / Satin finish



AL709300

Bin opening
at the top
700x236x236
5,235
Electro zinc coated steel /
Several colours in high
quality polyester paint
40



AL709301

Bin opening at the top 700x236x236 4,955 Stainless Steel AISI 304 / Satin finish

40 0.8



REFERENCE

DESCRIPTION

DIMENSIONS (mm) (Al x An x Lg)

WEIGHT (KG)

MATERIAL/COLOUR or FINISH

CAPACITY (L)



AC70800

Soap Dispenser Aitana 235x130x100 0,410 Black ABS & SAN / Nickel coated 0,900 L



AE58300/AE58500

Jumbo Roll
Dispenser
278x275x135 / 318x31x120
0,770 / 0,840
Black ABS & SAN / Nickel coated
220 mm / 310 mm Ø Roll



AG58000

Autocut
Dispenser
360x285x235
2,03
Black ABS & SAN / Nickel coated



AH38000

Z-fold Towels
Dispenser
350x270x135
0,885
Black ABS & SAN / Nickel coated
600 Z-fold Towels

- Nickel coated cover and black ABS base.
- High quality and resistance.
- Brushed Stainless Steel Look.
- Treatment: Acid and Copper Barnish; Double Nickel Coating.
- Packed per piece.
- Key lock.

- Long durability and easy maintenance.
- Economical and durable alternative for Satin Steel Dispensers.

JET HAND DRYER, OPTICAL SENSOR HIGH PERFORMANCE









RE	FE	RE	N	CE

NEFENERICE
DESCRIPTION
DIMENSIONS (mm) (H x W x L)
WEIGHT(KG)
MATERIAL/COLOUR
AIR SPEED (km/h)
ENGINE SPEED (rpm)
EFFECTIVE AIRFLOW (m3/H)
DRY TIME (sec)
ENGINE POWER (W)
HEATING ELEMENT POWER (W)
TOTAL POWER (W)

AA17000

1650-2050

JET hand dryer
685x300x220
10,71
ABS/white
400
19000
150
10
650-850
1000-1200

AA17050

JET hand dryer (HEPA filter)
705x300x215
9,41
ABS/white
400
19000
150
10
650-850
1000-1200

AA17500

JET hand dry	er JE1
	(HE
685x300x220	705x
10,71	9,41
ABS/Silver	ABS
400	400
19000	1900
150	150
10	10
650-850	650-
1000-1200	1000
1650-2050	1650

Δ Δ 1 7 5 5 Ω

JET Hand Dryer (HEPA filter)
705x300x215
9,41
ABS/Silver
400
19000
150
10
650-850
1000-1200
1650-2050

- New generation hand dryer, made of high quality and resistant ABS.
- Options: White or silver ABS.
- With or without antibacterial HEPA filter.
- Long-lasting life.

• Security timer with automatic shut-off.

1650-2050

- Antibacterial filter included for items AA17050/AA17550.
- High performance with low consumption.
- Electronically controlled engine, without brushes.
- Easy to clean and maintain.
- Drainage tray to avoid waterlogging.

OPTICAL SOAP DISPENSER, REFILLABLE DEPOSIT AND CARTRIDGE





€ 100 mm

0 0



REFERENCE DESCRIPTION

DESCRIPTION	
DIMENSIONS (mm) (H x W x L)	
WEIGHT (KG)	
MATERIAL/ COLOUR or FINISH	
CAPACITY	
DOSES	
BATTERY TYPE	
BATTERY LIFE (DOSES)	

AC91000

Optical Soap
Dispenser
(Cartridge)
265x123x120
0,716
ABS/White
0,800 L
0,375 g (foam & spray)
or 1 g (soap) /pulsation
6 batteries LR6 (AA) 1,5V
40 000

AC91050

Орисаі Зоар
Dispenser
(Refillable Tank)
265x123x120
0,785
ABS/White
1,000 L
1 g/pulsation
6 batteries LR6 (AA) 1,5V
40.000

AC91060

Optical Foam
Dispenser
(Refillable Tank)
265x123x120
0,785
ABS/White
1,000 L
0,375 g/pulsation

Dispenser	
(Refillable	Tank)
265x123x120	
0,785	
ABS/White	
1,000 L	

Spray Soap

6 batteries LR6 (AA) 1,5V 6 ba

6 batteries LR6 (AA) 1,5V 40.000


0,375 g/pulsation

- ABS bright finish, white, high quality and resistance.
- Options: bulk fill soap dispenser and cartidge dispenser for soap, foam and spray.
- Operates by means of an optical sensor. High durability.
- Content viewer.
- Key lock.
- Easy to clean and maintain.
- "Non touch" system to achieve a complete hygiene, without cross contamination.
- Internal regulator for choosing 1, 2 or 3 doses per service. Tank of 1 L or cartridge of 0,8 Kg.

Hygiene and Professional Cleanning Systems

OPTICAL SENSOR OPERATED HAND DRYER, AVE RANGE (HIGH PERFORMANCE) STAINLESS STEEL BRIGHT AND SATIN FINISH

- High performance hand dryer, made of Stainless Steel (AISI 304, 18/8) Bright or satin finish, high quality and resistance.
- Operates by means of optical sensor.
- · Includes antibacterial filter.
- Does not require grounding wire, double insulation.
- Creates air curtain to dry hands, security timer.
- Energy saving: When air temperature is > 25°C heating element disconnects automatically.
- Innovative and modern design, reduced dimensions.
- Enclosed and protected engine.



REFERENCE	AA18000
DESCRIPTION	High performance Hand dryer
DIMENSIONS (mm) (H x W x L)	330x260x180
WEIGHT (KG)	4,185
MATERIAL/FINISH	Stainless Steel AISI 304/Bright
AIR SPEED	400 km/h
ENGINE SPEED (rpm)	23000
DRY TIME (sec)	10
SOUND LEVEL (dB)	75
PROTECTION LEVEL	IP23
TYPE OF INSULATION	Class II (0,6 m from water point)
ENGINE POWER (W)	550

HEATING ELEMENT POWER (W)



550

950

SOAP DISPENSER AITANA RANGE, STAINLESS STEEL BRIGHT AND SATIN FINISH

950

- Stainles Steel (AISI 304; 18/8) bright or satin finish, high quality and resistance.
- Bulk fill, 0,900 litre capacity.
- Deposit made of transparent SAN.
- Security key lock.
- Anti-corrosion valve, non-drip system.
- Dose per pulsation: 1 g.
- Easy to clean and maintain.
- Suits perfectly any space.





AC79000 Stainless steel soap dispenser, Aitana 235x125x105 0,595 Stainless Steel AISI 304/Satin 0,900 L 1 g/pulsation



Class II (0,6 m from water point)

AC79500 Stainless steel soap dispenser, Aitana 235x125x105 0,595 Stainless Steel AISI 304/Bright 0,900 L 1 g/pulsation

AUTOCUT TOWEL DISPENSER RANGE

- Made of ABS, white or bright black. high quality and resistance.
- Security key lock, 270 mm length
- Maximum diameter roll: 210 mm. Roll width: 190/210 mm.
- Approx. roll lenght: 2 ply/180m or 305m/1 ply.
- Surrounding front protection.

Metallic toothed-saw blade, laser



 Content viewer at front, security wheel at the side.







cover for maximum

REFERENCE
DESCRIPTION
DIMENSIONS (mm) (H x W x L)
WEIGHT (KG)
MATERIAL/COLOUR
CAPACITY
SERVICE LENGHT
ROLL WIDTH

AG56000 Autocut dispenser 360x285x235 2.030 ABS/White 210 mm Ø roll 270 mm 190/210 mm

AG56600 Autocut dispenser 360x285x235 2.030 ABS/Black 210 mm Ø roll 270 mm 190/210 mm

AG57000 Autocut dispenser 360x285x235 2.030 ABS & SAN/Smoke 210 mm Ø roll 270 mm 190/210 mm

JUMBO CENTREFEED TOWEL TISSUE DISPENSER, PERFORATED TISSUE, ONE SERVICE AT A TIME

REFERENCE

DESCRIPTION

WEIGHT (KG)

CAPACITY

MATERIAL/COLOUR

DIMENSIONS (mm) (H x W x L)

- Delivers paper by the base, with tear-off system, for perforated tissue.
- They all include tear-off system to deliver only one service at a time of perforated tissue.
- All the rolls must be perforated, coreless or with removable core.
- For rolls with a diameter of 210 mm. and approximately 300 m long
- Low Cost range, special design, paper saving concept
- Maximum economy.
- For jumbo rolls.

 Made of ABS, available in white and bright black, and ref AE67400 in smoke SAN.









to jumbo rolls.

AE67400 Horizontal toilet tissue dispenser One service at a time 232x225x230 0,660 ABS & SAN/Smoke Coreless 210 mm Ø roll



· References starting with AE refer

AE67600 Horizontal toilet tissue dispenser One service at a time 232x225x230 0,660 ABS/Black Coreless 210 mm Ø roll